

WASH BAY




100%
water
recycling

X-SPLASH X-3

T-ZERO PRO

**designed and created
for your needs**



filtering system



Mod. X-TECH-10
1000 liters' capacity

**more sustainable
and environmentally
friendly future**



TRIME[®]
Water Treatments



X-SPLASH X-3

T-ZERO^{PRO}

WASH BAY



100%
water
recycling



A self-contained, environmentally friendly, cleaning system for construction plant and equipment. The washing bay is equipped with galvanized ramps and 2200 mm high walls. The wash bay floor pan directs the dirty water and sludge from the equipment being cleaned to a solids collection tank at the rear of the wash bay. Inside the rear tank, a float switch activates a diaphragm pump which delivers the dirty water into the filtration tanks to start the filtration process. After the water has been through this process, a booster pump delivers the water again to your pressure washer. Through the filtering system, you can use the same water repeatedly. The filters inside the separator tank can be easily replaced, guaranteeing an adequate filtering barrier.

ZERO
emissions

water
saving

APPLICATIONS



Constructions



Industrial



Medium wash size

FEATURES

- ✔ Closed circuit system
- ✔ Easy to move and transport
- ✔ Quick and simple assembly
- ✔ No water waste
- ✔ No building permits required
- ✔ Environmentally friendly

Technical data

Useful dimension (mm)	3000 x 4500
Total dimension (mm)	3590 x 5750
Filtration tank dimension (mm)	(X-10) 2810 x 740 x 990h
Maximum load capacity (kg)	5000
Walls standard height (mm)	2200
Total dry weight of the bay (kg)	1720
Diaphragm pump	0,054 kW - 17lt/min
Booster pump	0,37 kW - 5 to 40 lt/min
Filtering system	X-TECH-10
Option filtering system	X-TECH-30, X-TECH-60
Option maximum load capacity (kg)	20.000



easy handling & transportability



TRIME[®]

Sales Dept. +39 0382 406 252 - www.trime.it - info@trime.it